

NATIONAL CENTRE FOR ANTARCTIC & OCEAN RESEARCH (*Ministry of Earth Sciences, Govt. Of India*), HEADLAND SADA, VASCO-DA-GAMA, GOA - 403 804

TENDER NO. NCAOR/LAB-1967/PT-01 TENDER FOR SUPPLY & INSTALLATION OF AIR COOLED 60 KVA AUTOMATIC SERVO CONTROLLED VOLTAGE STABILIZER.

1.	Supply & Installation of Air Cooled 60 KVA Automatic Servo Controlled Voltage Stabilizer	
	Specifications:	(As per Specifications in -Annexure I)
	Quantity:	02 Nos.
2.	General Terms and Conditions	As per Annexure II
3.	Cost of Tender Documents (In Person)	500.00
4.	Cost of Tender Documents (By Post)	550.00
5.	Tender Documents	Tender documents can be downloaded by tenderers from NCAOR website. In case a tenderer is using the documents and forms downloaded from the website, the cost of tender documents shall be sent in the form of Bank Draft in a separate envelope along with the tender.
6.	Last Date and time for issue of tender documents	MONDAY 06.05.2013 1600 Hrs (IST)
7.	Last Date and time for submission of sealed quotations	TUESDAY 07.05.2013 1700Hrs (IST)
8.	Date and time of tender opening	WEDNESDAY 08.05.2013 1000Hrs (IST)

_1

Annexure I

LAB-1967

Technical specifications for Air cooled 60 KVA Automatic Servo Controlled Voltage Stabilizer with 3 phase input & 3 phase output.

1. Input:

Voltage: Normal=300v to 460V Extended=290 to 460 V

Frequency Termination: 50Hz ±3Hz (4 wire system by terminal block)

2. Output:

Voltage: 415V tunable between 385 to 420V Frequency: same as input Regulation: ±0.5% to 1% Waveform Distortion :NIL Termination : By terminal block

3. Efficiency:

Above 90% at full load

4. Metering: Input Voltmeter, Output Voltmeter with Selector switch

5. Correction speed:

35V/Sec. upto 30 KVA 25V/Sec. above 30 KVA

6. Operating temperature 0-50 C

7. Protections:

High voltage cut off, Low voltage cut off, Electronic overload & spikes, single phase preventer, manual by pass switch.

TERMS AND CONDITIONS FOR SUBMISSION OF QUOTATION

1) The National Centre for Antarctic and Ocean Research (NCAOR) **invites sealed quotations** from the reputed firms for the **"Supply & Installation of Air Cooled 60 KVA Automatic Servo Controlled Voltage Stabilizer**" at NCAOR, GOA.

2) The tender should be submitted in sealed covers, super scribing tender for "Supply & Installation of Air Cooled 60 KVA Automatic Servo Controlled Voltage Stabilizer" sealed and addressed to the Director, National Centre for Antarctic and Ocean Research, Headland-Sada, Vasco-da-Gama, Goa-403 804. <u>Offer sent through fax will not be accepted</u>.

3) Overwriting and corrections should be attested properly. The bid should be complete in all respects and should be duly signed. **Incomplete and unsigned bids will not be considered at all.**

4) All relevant technical literature pertain to items quoted **with full specifications** (Drawing, if any), information about the products quoted, including brochures if any should accompany the quotation.

5) A list of **reputed clients** to whom the firm has supplied similar items to be furnished alongwith the quotation.

6) Quotation should be **valid for a period of 90 days** from the date of tender opening and the period of delivery required should also be clearly indicated. If the supplier fails to deliver the goods within the time to be agreed upon, for delayed deliveries and for delays in installation (wherever applicable) NCAOR reserves the right to **levy liquidated damages** at the rate of 0.5% per week or part their of upto maximum of 5%.

7) Please **specify the Make/Brand** and Name of the Manufacturer with address, country of origin and currency in which rates are quoted.

8) NCAOR is not entitled to issue form "C/D". No sales Tax or any other Tax shall be payable by us unless payment of the same is specifically mentioned by the suppliers in their bids and same is legally leviable.

9) NCAOR is **exempted from the payment of Excise Duty / Custom Duty** as per Govt. notification. Hence, the rates should be split into basic cost and Excise Duty if any.

10) **Bid should contain** all details and specifications, delivery schedule, payment term, userlist details of the price(s) of the item(s).

11) Please submit your quote on F.O.R. destination basis. In case of imported stores both **FOB and CIF prices upto Indian port of entry** namely <u>Goa</u> should be indicated. However tender should contain item-wise prices including total ex-works price and cost of packing forwarding, approx. cost of air-freight charges for delivery up to Goa, India.

12) The warranty period should be indicated.

13) A Committee constituted by the Director, NCAOR for the purpose reserves the right to open the bids. Bids will be opened on the date and time mentioned in the tender document in the presence of tenderer.

14) A technical Committee constituted by the Director will assess the product supplied/installed for their quality and their conformity to the specifications provided by the

firm in their quotations. Any item(s) identified by the Committee to be not as per the specifications or are found to be of inferior quality will be rejected, and the bills towards the supply will not be processed for payment till proper replacements are provided.

15) **No advance payment** will be made. Payment for indigenous stores shall be made within 30 days from the date of receipt, acceptance of the material.

16) Two sets of operational, service/troubleshooting manuals and diagrams to be supplied with **Supply & Installation of Air Cooled 60 KVA Automatic Servo Controlled Voltage Stabilizer.**

17) **The submission of tender** shall be deemed to be an admission on the part of the tenderer, had fully acquainted with the specifications, drawings etc. and no claim other than what stated in the tender shall be paid in the event of award of Purchase Order.

18) Acceptance of this tender form and submission of the quote within the stipulated time would be treated as:

a) The tenderer has understood all requirements as described in our Tender document.

b) Acceptance to provide/establish all the facilities mentioned in our tender without any price escalation, if the tenderer finds it necessary to add any hardware or software or any other materials during implementation.

c) Agreeing to execute order to the satisfaction of NCAOR or its authorized representatives within the stipulated time.

19) NCAOR will not be liable for any obligation until such time NCAOR has communicated to the successful bidder of its decision to release the Purchase Order.

20) NCAOR will not be responsible for any postal delays.

21) Bidders shall note that NCAOR will not entertain any correspondence or queries on the status of the offers received against this Tender Invitation.

22) Tenders from Manufacturers/Suppliers/Tenderers whose performance was not satisfactory in respect of quality of supplies and delivery schedules in any organizations, are liable for rejection. The tenders that do not comply with the above criteria and other terms & conditions are liable for rejection.

23) The Director, NCAOR does not bind to accept the lowest quotation and reserves the right to himself, to reject or partly accept any or all the quotations received without assigning any reason.

QUESTIONNAIRE

- a. Name of the Manufacturer / Tenderer
- b. Full postal address with Telephone, Telefax, Email
- c. Please specify whether Public Limited, Company, Private Organization or Partnership Firm
- d. Nature of the Business
- e. Date of Establishment
- f. Present Turnover
- g. Permanent Income Tax Ref. No.
- h. C.S.T. / S.T. NO.
- i. Address & Telephone Nos. Of your branch office in GOA (please specify whether Distributing/Servicing/Marketing the products)
- j. Reference of reputed Customers
- k. Details of the highest order executed and value thereof
- I. Authorization from Manufacturer/Supplier attached
- m. Tender fee submitted/enclosed.
- n. E.M.D. attached with BID.
- o. Infrastructure facilities required for installation & commissioning attached
- p. Technical Specifications/Literature/Brochure attached
- q. Tender Acceptance

TENDER ACCEPTANCE UNDERTAKING

То

The Director, NCAOR, Headland Sada Vasco - Goa

Having examined the tender document for **Supply & Installation of Air Cooled 60 KVA Automatic Servo Controlled Voltage Stabilizer** we the undersigned, hereby offer to supply the equipment in conformity with all specifications and conditions set out in the tender document.

We enclosed all the relevant documents as per the tender.

We understand that you are not bound to accept the lowest or any tender received.

Date :

(Signature of Bidder)

Name :

Designation :

Seal

